


■ PP COMPRESSION FITTINGS IN COMPLIANCE WITH
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114




MALE THREADED ADAPTOR (M.T.A.)

*BSP TAPER MALE THREADED.

外牙梳吉

CODE NO.1100	D x G (mm) (inch)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
11001	20 mm x 1/2"	69 mm	500 nos	17.0
11002	20 mm x 3/4"	69 mm	500 nos	18.4
11003	25 mm x 1/2"	74 mm	300 nos	15.8
11004	25 mm x 3/4"	75 mm	300 nos	16.0
11005	25 mm x 1"	78 mm	300 nos	17.4
11006	32 mm x 1/2"	82 mm	200 nos	16.2
11007	32 mm x 3/4"	82 mm	200 nos	16.2
11008	32 mm x 1"	86 mm	200 nos	17.0
11009	40 mm x 1"	102 mm	120 nos	16.0
11010	40 mm x 1 1/4"	102 mm	120 nos	16.5
11011	40 mm x 1 1/2"	102 mm	120 nos	17.2
11012	50 mm x 1 1/4"	117 mm	80 nos	15.5
11013	50 mm x 1 1/2"	117 mm	80 nos	16.5
11014	63 mm x 2"	127 mm	50 nos	16.0
11015	75 mm x 2"	170 mm	25 nos	17.5
11016	75 mm x 2 1/2"	170 mm	25 nos	17.5
11017	90 mm x 3"	165 mm	20 nos	14.5
11018	110 mm x 4"	208 mm	15 nos	20.0



FEMALE THREADED ADAPTOR (F.T.A.)

*BSP PARALLEL FEMALE THREADED.


內牙梳吉

CODE NO.1200	D x G (mm) (inch)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
12001	20 mm x 1/2"	70 mm	400 nos	16.4
12002	20 mm x 3/4"	72 mm	400 nos	15.5
12003	25 mm x 1/2"	75 mm	250 nos	13.8
12004	25 mm x 3/4"	76 mm	250 nos	14.4
12005	25 mm x 1"	79 mm	250 nos	15.8
12006	32 mm x 3/4"	85 mm	180 nos	15.8
12007	32 mm x 1"	89 mm	180 nos	15.5
* 12008	40 mm x 1"	104 mm	100 nos	17.5
* 12009	40 mm x 1 1/4"	104 mm	100 nos	18.0
* 12010	40 mm x 1 1/2"	105 mm	100 nos	18.0
* 12011	50 mm x 1 1/4"	125 mm	60 nos	14.5
* 12012	50 mm x 1 1/2"	125 mm	60 nos	14.0
* 12013	63 mm x 2"	152 mm	40 nos	16.0
* 12014	75 mm x 2"	174 mm	25 nos	18.8
* 12015	75 mm x 2 1/2"	174 mm	25 nos	18.8
* 12016	90 mm x 3"	177 mm	20 nos	18.0
* 12017	110 mm x 4"	194 mm	15 nos	21.4

N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646
*Come With Reinforced S.S. (Stainless Steel 304) Ring Cap.


採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646
* 採用特加強白鋼 (304) 圈 •

■ PP COMPRESSION FITTINGS IN COMPLIANCE WITH
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114



COMPRESSION END CAP (E.C)
元帽

CODE NO.1300	D (mm)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
13001	20 mm	52 mm	500 nos	17.2
13002	25 mm	58 mm	300 nos	15.4
13003	32 mm	68 mm	200 nos	16.4
13004	40 mm	77 mm	120 nos	15.0
13005	50 mm	92 mm	80 nos	15.5
13006	63 mm	102 mm	50 nos	16.0
13007	75 mm	170 mm	25 nos	17.5
13008	90 mm	130 mm	20 nos	14.5
13009	110 mm	131 mm	20 nos	27.0




STRAIGHT COUPLER (S.C)
梳吉

CODE NO.2100	D x D (mm)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
21001	20 mm x 20 mm	94 mm	250 nos	15.2
21002	25 mm x 25 mm	100 mm	180 nos	15.8
21003	32 mm x 32 mm	123 mm	120 nos	15.5
21004	40 mm x 40 mm	150 mm	80 nos	18.0
21005	50 mm x 50 mm	170 mm	50 nos	17.5
21006	63 mm x 63 mm	196 mm	30 nos	17.5
21007	75 mm x 75 mm	264 mm	20 nos	23.5
21008	90 mm x 90 mm	252 mm	15 nos	20.0
21009	110 mm x 110 mm	374 mm	10 nos	22.0

N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646


採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646

■ PP COMPRESSION FITTINGS IN COMPLIANCE WITH
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114



REDUCING COUPLER (R.C)
大小梳吉

CODE NO.2200	D x D1 (mm)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
22001	25 mm x 20 mm	97 mm	200 nos	15.8
22002	32 mm x 20 mm	112 mm	150 nos	16.2
22003	32 mm x 25 mm	113 mm	150 nos	18.0
# 22004A	40 mm x 20 mm			
22004	40 mm x 25 mm	120 mm	100 nos	16.5
22005	40 mm x 32 mm	138 mm	100 nos	17.0
# 22006A	50 mm x 20 mm			
22006	50 mm x 25 mm	135 mm	60 nos	13.5
22007	50 mm x 32 mm	159 mm	60 nos	15.0
22007A	50 mm x 40 mm	161 mm	60 nos	18.6
22008	63 mm x 32 mm	166 mm	40 nos	15.0
22009	63 mm x 50 mm	185 mm	35 nos	16.5
22010	75 mm x 50 mm	264 mm	20 nos	18.0
22011	75 mm x 63 mm	264 mm	20 nos	19.2
22012	90 mm x 63 mm	238 mm	20 nos	18.5
22013	90 mm x 75 mm	263 mm	20 nos	25.9
# 22014A	110 mm x 63 mm			
# 22014	110 mm x 75 mm			
22015	110 mm x 90 mm	284 mm	10 nos	19.0




MALE TEE (M.T.)
*BSP TAPER MALE THREADED.
外牙梯

CODE NO.3100	D x G (mm) (inch)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
31001	20 mm x 1/2"	120 mm	47 mm	180 nos	14.6
31002	20 mm x 3/4"	120 mm	47 mm	180 nos	15.0
31003	25 mm x 1/2"	134 mm	50 mm	120 nos	15.0
31004	25 mm x 3/4"	134 mm	50 mm	120 nos	14.8
31005	25 mm x 1"	134 mm	50 mm	120 nos	15.4
31006	32 mm x 3/4"	160 mm	59 mm	90 nos	17.8
31007	32 mm x 1"	160 mm	59 mm	90 nos	18.2
31008	40 mm x 1"	189 mm	62 mm	50 nos	17.4
31009	40 mm x 1 1/4"	189 mm	65 mm	50 nos	16.0
# 31010	40 mm x 1 1/2"				
31011	50 mm x 1 1/4"	220 mm	77 mm	30 nos	15.5
31012	50 mm x 1 1/2"	220 mm	77 mm	30 nos	15.4
31013	63 mm x 2"	262 mm	92 mm	20 nos	16.5
31014	75 mm x 2"	350 mm	92 mm	15 nos	21.8
31015	75 mm x 2 1/2"	350 mm	94 mm	15 nos	21.8
31016	90 mm x 3"	348 mm	125 mm	10 nos	19.0

N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646
Stock available upon request.

採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646

■ PP COMPRESSION FITTINGS IN COMPLIANCE WITH
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114




FEMALE TEE (F.T.)

*BSP PARALLEL FEMALE THREADED.

内牙梯

CODE NO.3200	D x G (mm) (inch)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
32001	20 mm x 1/2"	120 mm	47 mm	180 nos	14.6
32002	20 mm x 3/4"	120 mm	47 mm	180 nos	15.0
32003	25 mm x 1/2"	134 mm	50 mm	120 nos	15.0
32004	25 mm x 3/4"	134 mm	50 mm	120 nos	14.8
32005	25 mm x 1"	134 mm	50 mm	120 nos	15.4
32006	32 mm x 3/4"	160 mm	59 mm	90 nos	17.8
32007	32 mm x 1"	160 mm	59 mm	90 nos	18.2
* 32008	40 mm x 1"	186 mm	65 mm	50 nos	17.0
* 32009	40 mm x 1 1/4"	187 mm	65 mm	50 nos	17.0
# * 32010	40 mm x 1 1/2"				
# * 32011	50 mm x 1 1/4"	220 mm	78 mm	30 nos	15.8
* 32012	50 mm x 1 1/2"	220 mm	78 mm	30 nos	15.0
* 32013	63 mm x 2"	262 mm	90 mm	20 nos	16.0
* 32014	75 mm x 2"	330 mm	96 mm	15 nos	22.0
* 32015	75 mm x 2 1/2"	330 mm	96 mm	15 nos	22.3
* 32016	90 mm x 3"	348 mm	118 mm	10 nos	19.0



EQUAL TEE (E.T.)

正梯

CODE NO.3300	D x D (mm)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
33001	20 mm x 20 mm	120 mm	63 mm	150 nos	15.4
33002	25 mm x 25 mm	134 mm	67 mm	100 nos	14.0
33003	32 mm x 32 mm	160 mm	80 mm	60 nos	14.4
33004	40 mm x 40 mm	187 mm	96 mm	40 nos	15.5
33005	50 mm x 50 mm	220 mm	112 mm	25 nos	13.5
33006	63 mm x 63 mm	262 mm	132 mm	20 nos	20.0
33007	75 mm x 75 mm	330 mm	173 mm	12 nos	22.2
33008	90 mm x 90 mm	348 mm	174 mm	8 nos	17.5
33009	110 mm x 110 mm	396 mm	195 mm	6 nos	24.6

N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646


*Come With Reinforced S.S. (Stainless Steel 304) Ring Cap.

Stock available upon request.

採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646


* 採用特加強白鋼 (304) 圈 •

■ **PP COMPRESSION FITTINGS IN COMPLIANCE WITH**
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114



REDUCING TEE (R.T.)
大小梯

CODE NO.3400	D (mm) x D1 (mm)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
34001	25 mm x 20 mm	134 mm	67 mm	100 nos	14.5
34002	32 mm x 20 mm	160 mm	75 mm	75 nos	16.4
34003	32 mm x 25 mm	160 mm	77 mm	75 nos	16.8
34004	40 mm x 25 mm	187 mm	83 mm	40 nos	15.0
34005	40 mm x 32 mm	187 mm	83 mm	40 nos	14.0
34006	50 mm x 25 mm	220 mm	100 mm	30 nos	15.0
34007	50 mm x 32 mm	220 mm	102 mm	30 nos	16.0
34008	63 mm x 32 mm	262 mm	125 mm	20 nos	17.5
34009	63 mm x 50 mm	262 mm	128 mm	20 nos	18.5
34010	75 mm x 50 mm	330 mm	145 mm	12 nos	19.0
34011	75 mm x 63 mm	330 mm	148 mm	12 nos	20.0
34012	90 mm x 63 mm	350 mm	160 mm	8 nos	17.0
# 34013	90 mm x 75 mm	350 mm	185 mm		
# 34014	110 mm x 63 mm				
# 34015	110 mm x 75 mm				
# 34016	110 mm x 90 mm				




MALE ELBOW (M.E.)
*BSP TAPER MALE THREADED.
外牙彎頭

CODE NO.4100	D (mm) x G (inch)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
41001	20 mm x 1/2"	59 mm	42 mm	300 nos	14.8
41002	20 mm x 3/4"	59 mm	42 mm	300 nos	14.8
41003	25 mm x 1/2"	67 mm	51 mm	250 nos	18.8
41004	25 mm x 3/4"	67 mm	55 mm	250 nos	18.4
41005	25 mm x 1"	67 mm	55 mm	200 nos	15.2
41006	32 mm x 3/4"	83 mm	60 mm	150 nos	19.0
41007	32 mm x 1"	83 mm	60 mm	150 nos	18.6
41008	40 mm x 1"	93 mm	65 mm	100 nos	21.0
41009	40 mm x 1 1/4"	93 mm	65 mm	100 nos	21.6
# 41010	40 mm x 1 1/2"	93 mm	65 mm	100 nos	20.0
41011	50 mm x 1 1/4"	111 mm	77 mm	60 nos	19.4
41012	50 mm x 1 1/2"	111 mm	77 mm	60 nos	18.5
41013	63 mm x 2"	132 mm	89 mm	35 nos	17.5
41014	75 mm x 2"	168 mm	90 mm	25 nos	22.5
41015	75 mm x 2 1/2"	168 mm	90 mm	25 nos	22.5
41016	90 mm x 3"	173 mm	122 mm	16 nos	18.0
41017	110 mm x 3"	198 mm	126 mm		
41018	110 mm x 4"	198 mm	126 mm		

N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646
Stock available upon request.

採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646

■ **PP COMPRESSION FITTINGS IN COMPLIANCE WITH**
ISO 3458, 3459, 3501, 3503, ISO 14236 & BS 5114




FEMALE ELBOW (F.E.)

*BSP PARALLEL FEMALE THREADED.

內牙彎頭

CODE NO.4200	D (mm) x G (inch)	L (mm)	L1 (mm)	PACKING NOS / BAG	APPROX. KG / BAG
42001	20 mm x 1/2"	59 mm	43 mm	300 nos	15.2
42002	20 mm x 3/4"	59 mm	43 mm	300 nos	15.4
42003	25 mm x 1/2"	67 mm	50 mm	250 nos	18.8
42004	25 mm x 3/4"	67 mm	50 mm	250 nos	18.8
42005	25 mm x 1"	67 mm	51 mm	200 nos	17.0
42006	32 mm x 3/4"	83 mm	60 mm	150 nos	18.4
42007	32 mm x 1"	83 mm	60 mm	150 nos	18.4
* 42008	40 mm x 1"	94 mm	67 mm	80 nos	17.5
* 42009	40 mm x 1 1/4"	94 mm	67 mm	80 nos	17.2
# * 42010	40 mm x 1 1/2"				
# * 42011	50 mm x 1 1/4"	111 mm	77 mm	50 nos	16.0
* 42012	50 mm x 1 1/2"	111 mm	77 mm	50 nos	16.0
* 42013	63 mm x 2"	132 mm	86 mm	35 nos	17.5
* 42014	75 mm x 2"	170 mm	92 mm	25 nos	23.0
* 42015	75 mm x 2 1/2"	170 mm	92 mm	25 nos	23.0
* 42016	90 mm x 3"	173 mm	114 mm	16 nos	17.5
# 42017	110 mm x 3"				
# 42018	110 mm x 4"				





EQUAL ELBOW (E.E.)

彎頭

CODE NO.4300	D (mm) x D (mm)	L (mm)	PACKING NOS / BAG	APPROX. KG / BAG
43001	20 mm x 20 mm	60 mm	250 nos	17.2
43002	25 mm x 25 mm	67 mm	150 nos	15.0
43003	32 mm x 32 mm	83 mm	100 nos	16.2
43004	40 mm x 40 mm	93 mm	60 nos	15.5
43005	50 mm x 50 mm	111 mm	40 nos	15.5
43006	63 mm x 63 mm	132 mm	25 nos	15.5
43007	75 mm x 75 mm	165 mm	20 nos	26.0
43008	90 mm x 90 mm	173 mm	12 nos	18.0
43009	110 mm x 110 mm	193 mm	8 nos	23.1



N.B.R. Rubber 'O' Ring in compliance with BS 2494 & AS 1646
*Come With Reinforced S.S. (Stainless Steel 304) Ring Cap.
Stock available upon request.

採用丁腈密封圈符合英標 BS 2494 和澳標 AS 1646
* 採用特加強白鋼 (304) 圈 *



**PP MALE ADAPTOR
C/W BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP M.T.A. CODE NO.	D(mm) x G(inch)	L (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BMTA 2012	20 mm x 1/2"	87 mm	10 nos	0.96
BMTA 2034	20 mm x 3/4"	86 mm	10 nos	1.24
BMTA 2512	25 mm x 1/2"	95 mm	10 nos	1.75
BMTA 2534	25 mm x 3/4"	97 mm	10 nos	1.75
BMTA 2510	25 mm x 1"	109 mm	10 nos	2.90
BMTA 3234	32 mm x 3/4"	103 mm	10 nos	2.00
BMTA 3210	32 mm x 1"	116 mm	10 nos	3.10




**PP FEMALE ADAPTOR
C/W BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP F.T.A. CODE NO.	D(mm) x G(inch)	L (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BFTA 2012	20 mm x 1/2"	72.5 mm	10 nos	0.98
BFTA 2034	20 mm x 3/4"	72.5 mm	10 nos	1.22
BFTA 2512	25 mm x 1/2"	82 mm	10 nos	1.50
BFTA 2534	25 mm x 3/4"	82.4 mm	10 nos	1.53
BFTA 2510	25 mm x 1"	94.5 mm	10 nos	2.06
BFTA 3234	32 mm x 3/4"	90.1 mm	10 nos	1.72
BFTA 3210	32 mm x 1"	100.5 mm	10 nos	2.30


* All brass threaded fittings come with reinforced S.S (Stainless Steel 304) Ring Cap.

* 採用特加強白銅 (304) 圈 •




**PP FEMALE ELBOW C/W
BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP B.F.B. CODE NO.	D(mm) x G(inch)	L (mm)	L1 (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BFB 2012	20 mm x 1/2"	59 mm	43 mm	10 nos	1.14
BFB 2034	20 mm x 3/4"	67 mm	55 mm	10 nos	1.30
BFB 2512	25 mm x 1/2"	67 mm	58 mm	10 nos	0.98
BFB 2534	25 mm x 3/4"	67 mm	50 mm	10 nos	1.40
BFB 2510	25 mm x 1"	67 mm	64 mm	10 nos	1.84
BFB 3234	32 mm x 3/4"	83 mm	60 mm	10 nos	1.90
BFB 3210	32 mm x 1"	83 mm	74 mm	10 nos	2.26




**PP MALE ELBOW C/W
BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP B.M.B. CODE NO.	D(mm) x G(inch)	L (mm)	L1 (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BMB 2012	20 mm x 1/2"	59 mm	42 mm	10 nos	1.20
BMB 2034	20 mm x 3/4"	65 mm	50 mm	10 nos	1.52
BMB 2512	25 mm x 1/2"	67 mm	62 mm	10 nos	1.10
BMB 2534	25 mm x 3/4"	67 mm	55 mm	10 nos	1.70
BMB 2510	25 mm x 1"	67 mm	69 mm	10 nos	2.19
BMB 3234	32 mm x 3/4"	83 mm	60 mm	10 nos	2.34
BMB 3210	32 mm x 1"	83 mm	74 mm	10 nos	3.20



**PP MALE TEE C/W
BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP B.M.T. CODE NO.	D(mm) x G(inch)	L (mm)	L1 (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BMT 2012	20 mm x 1/2"	122	61	10 nos	1.52
BMT 2034	20 mm x 3/4"	122	61	10 nos	1.84
BMT 2512	25 mm x 1/2"	134	64	10 nos	1.27
BMT 2534	25 mm x 3/4"	134	64	10 nos	1.55
BMT 2510	25 mm x 1"	134	64	10 nos	2.35
BMT 3234	32 mm x 3/4"			10 nos	
BMT 3210	32 mm x 1"			10 nos	



**PP FEMALE TEE C/W
BRASS THREADED INSERT
(COMPRESSION TYPE)**

PP B.F.T. CODE NO.	D(mm) x G(inch)	L (mm)	L1 (mm)	SMALL PACKING NOS / BAG	APPROX. KG / BAG
BFT 2012	20 mm x 1/2"	122	48	10 nos	1.44
BFT 2034	20 mm x 3/4"	122	48	10 nos	1.62
BFT 2512	25 mm x 1/2"	134	49	10 nos	1.19
BFT 2534	25 mm x 3/4"	134	49	10 nos	1.35
BFT 2510	25 mm x 1"	134	49	10 nos	1.62
BFT 3234	32 mm x 3/4"			10 nos	
BFT 3210	32 mm x 1"			10 nos	

* All brass threaded fittings come with reinforced S.S (Stainless Steel 304) Ring Cap.

* 採用特加強白鋼 (304) 圈 •